





LOFTNESSTM
kwik
TRIMTM



SMALL IN SIZE.
BIG ON
PRODUCTIVITY.



THE NEW KWIK-TRIM:

SLIGHTLY
BIGGER.

EVEN
BETTER.



We've added more horsepower to the Kwik-Trim. It has a new, fuel-efficient Tier 4 engine that doesn't require diesel exhaust fluid (DEF). That means you get plenty of power and efficiency without any of the hassle of using DEF. The new Kwik-Trim is also heavier and slightly wider for enhanced stability on uneven terrain. Nonetheless, it's still compact enough to access tight areas and light enough to be towed behind a pickup.






kwik
TRIM

TAKEUCHI


LOFTNESS
kwik
TRIM



360° CONTINUOUS BOOM SWING



90° BOOM ARC



35° BOOM TILT

COMPLETE **360°** COVERAGE

The Kwik-Trim has been proven to handle the vast majority of trimming needs. It's more maneuverable and cost effective than large-scale mechanical trimmers. And it's much more productive than using bucket trucks or hand climbing. Simply put, the new Kwik-Trim is the perfect tool for any tree maintenance or right-of-way maintenance crew.

// *Zero Turn Radius*

Loftness' Counter-Rotating Track Control System allows you to maintain precise saw position while rotating the track undercarriage. Thanks to this innovative feature, you can confidently and safely position the Kwik-Trim on some of the tightest jobsites.



// 53-FOOT, NON-CONDUCTIVE BOOM

- Fiberglass reinforced plastic (FRP) boom
- 53-foot reach accommodates most trimming needs
- Dielectrically certified to ANSI A92-2 Category C standards to 100kV
- Telescoping function driven by a single, long-stroke hydraulic cylinder
- Rigid rectangular design assists in precise boom control



// Superior Mobility

Unlike large-scale mechanical trimmers, the Kwik-Trim doesn't require a lowboy trailer and semi truck for transport. Weighing only 14,000 pounds, it can be towed with a pickup and standard trailer. This allows crews to maneuver more easily on tight jobsites, while keeping a lower profile.



// *Advanced Hydraulics*

Variable displacement piston pumps and custom valving provide smooth, precise hydraulic control of the boom. Other standard features include a large capacity oil cooler for maximum reliability and an easy access panel to hydraulic components, eliminating the need to tilt the cab for maintenance.

POUND-FOR-POUND THE BEST TRIMMER

// *Climate-Controlled Cab*

The Kwik-Trim provides a safe, comfortable operating experience in the climate-controlled cab.

- Custom full-view bronze tinted, ½-inch thick polycarbonate windows throughout
- Fully adjustable seat
- AM/FM radio and auxiliary audio jack
- Heat and air conditioning
- ROPS, FOPS and OPS certified
- Cupholder



// FEATURES



24-Inch Carbide-Tipped Saw Blade: The Kwik-Trim uses an industry-standard, 24-inch carbide-tipped saw blade. It operates at 3,000 RPM, making quick work of branches.



Hose Reel Mount: The specialized design of the hose reel mount eliminates the need for external boom support while hauling. This speeds up the process of prepping the machine for transport.



Easy Access Winch: The winch is conveniently located at the front center of the machine. It has its own hydraulic circuit, making it ready to be operated from inside the cab whenever needed.



Maximum Stability: Despite its compact size, the Kwik-Trim provides maximum stability on difficult terrain. It has a wide stance and low center of gravity, allowing the unit to safely access most areas.

Environmentally Friendly: The Kwik-Trim produces low ground pressure, makes little noise and has a small footprint, making it more acceptable in residential areas than larger trimming equipment.



KWIK-TRIM SPECIFICATIONS

ENGINE:

47.6 HP Yanmar Tier 4

WEIGHT:

14,000 LBS (6,350.3 kg)

WIDTH:

6' 7" (2.1 m)

LENGTH (Transport Mode):

31' (9.4 m)

HEIGHT (Transport Mode):

10' 4" (3.15 m)

BOOM REACH:

53' (16.2 m)

BLADE:

24" Diameter (0.6 m) Carbide-Tipped,
 3,000 RPM

CERTIFICATIONS:

Boom – ANSI A92-2 Category C

Cab – ISO 8084 OPS

– ISO 8083 FOPS

– ISO 8082-2 ROPS

– ISO 3471 ROPS

– ISO 12117-2 ROPS

**SEE THE FULL LIST OF
 FEATURES AND SPECS AT
 LOFTNESS.COM**

or call 800-828-7624



LOFTNESS

SPECIALIZED EQUIPMENT. UNLIMITED INNOVATION.

OTHER VEGETATION MANAGEMENT EQUIPMENT FROM LOFTNESS



LOFTNESS
carbide EX
HYDRO
CUTTER

LOFTNESS
carbide
CUTTER
Excavator



LOFTNESS
carbide G³
CUTTER

LOFTNESS
timber
AX



LOFTNESS
tree 360
HAMMER

LOFTNESS
cool flow
Auxiliary Hydraulic Cooler



LOFTNESS
flail HYDRO
MOWER

LOFTNESS
flail PTO
MOWER



// GRAIN BAGGING

// CROP SHREDDERS

// SNOW BLOWERS

// VEGETATION MANAGEMENT



Call us or visit loftness.com for more information on the new Kwik-Trim.



Loftness Specialized Equipment
P.O. Box 337
Hector, Minnesota 55342 USA

Toll Free US & Canada: 800-828-7624
International 320-848-6266
email: info@loftness.com
www.loftness.com

Kwik-Trim is a trademark of Loftness Corporation.